

SRF Retrofit Firesleeve - Marine Edition

Salt-Spray Resistant · Made in Britain

ENGINE ROOMS - OFFSHORE PLATFORMS - NAVAL & COMMERCIAL VESSELS

SRF RETROFIT FIRESLEEVE



WHAT IS IT?

SRF Firesleeve is manufactured from 'E' glass fibre yarn, coated with high-grade silicone elastomer rubber with hook & loop closure.

MARINE APPLICATIONS

- Engine room hose retrofit without disconnection
- Fuel & hydraulic line upgrades in-situ
- Bilge pump & steering cable protection
- Offshore platform retrofit maintenance
- Naval vessel in-service upgrade programmes
- Commercial shipping maintenance overhauls

STANDARD FORMAT

Inside diameter: **4 mm to 203 mm**
Method of supply: **15 m coils**
Hook & Loop size: **16 mm**

RETROFIT & REFIT

Installs without removing existing hoses, cables or pipework. Fire retardant hook & loop fastener, stitched with glass thread — strong and durable.

AVAILABLE COLOURS



Red Oxide

Blue

Silver

QUICK FACTS

Standard colour	Red Oxide
Continuous operating temp	260 C (500 F)
Molten splash resistance	Outstanding
Flame resistance	Very good
Salt & water resistance	Outstanding
Chemical resistance	Outstanding
UV & weather resistance	Outstanding
Avg. dielectric strength	30 kV+
Wall thickness	4 mm +/- 0.5 mm

MARINE COMPLIANCE & STANDARDS

✓ ISO 11925-2	Ignitability of products
✓ IEC 60695-11-10	Classified HB and V0
✓ UL94 V0/V1/V2	UL flammability rating
✓ EN 45545-2	Fire protection standard
✓ MSHA Certified	Mine Safety & Health Admin.
✓ Made in Britain	Manufactured in Burnley, UK

CONTINUOUS

260C

500F

MOLTEN SPLASH

1200C

2192F

DIELECTRIC

30kV+

Salt-spray safe